

Product: Quicksilver Epoxy Syringe - Hardener**Product #:** 92-808699**SECTION I - MANUFACTURER INFORMATION**

Name: Mercury Marine
Address: W6250 W. Pioneer Rd.
 PO Box 1939
 Fond du Lac WI 54936-1939

Emergency: 800-424-9300 (ChemTrec)
Information: 920-929-5418
Date Prepared: 10-16-90
Revised: 02-11-98

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components*	OSHA PEL	ACGIH TLV	Other	% (Opt.)
Tri(dimethylaminoethyl)Phenol (90-72-2)	N/A	N/A		5-10
Modified Polyamines (No CAS)	N/A	N/A		10-20

* Specific Chemical Identity, Common Name (CAS)

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A
Vapor Pressure (mmhg): N/D
Vapor Density (Air=1): N/A
Solubility in Water: N/D
Appearance and Odor: Grey color, sharp odor

Specific Gravity (H₂O=1): N/D
Melting Point: N/D
Evaporation Rate: N/A
(Butyl Acetate=1)

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 200°F (TOC)
Flammable Limits: LEL - N/A UEL - N/A
Extinguishing Media: Foam, Carbon Dioxide, dry chemical, water fog
Special Fire Fighting Procedures: Self-contained breathing apparatus (SCBA) and protective clothing should be worn in fighting fires involving chemicals.
Unusual Fire and Explosion Hazards: During a fire, Carbon Monoxide, aldehydes, oxides of Sulfur and Nitrogen and acids can be formed.

SECTION V - REACTIVITY DATA

Stability: Unstable () Stable (X)
Conditions to Avoid: Mixing a large mass of material may generate excessive heat due to exothermic reaction.
Incompatibility (Materials to Avoid): None known
Hazardous Decomposition or Byproducts (Thermal): May yield major accounts of oxides of Carbon and minor amounts of oxides of Sulfur and Nitrogen.
Hazardous Polymerization: May Occur () Will Not Occur (X)

ADDITIONAL INFORMATION

Mercury Marine Emergency Information Number: 920-929-5000
 Manufacturer, Lawson Products Inc., Emergency Number: 303-623-5716 (Rocky Mountain Poison & Drug Center)

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation (Y) Skin (Y) Eye (Y) Ingestion (Y)

Health Hazards (Acute and Chronic): See Signs and Symptoms of Exposure

Carcinogenicity: NTP (N) IARC Monographs (N) OSHA Regulated (N)

Signs and Symptoms of Exposure: Irritates eyes. Prolonged or repeated contact may irritate skin. Nose and throat irritant. Target organs affected are eyes, gastrointestinal tract, and skin.

Medical Conditions Generally Aggravated by Exposure: May cause dermatitis on prolonged contact in sensitive individuals.

Emergency and First Aid Procedures: Eye - Flush with water. Skin - Wash area with soap and water. Consult physician if irritation persists. Inhalation - Move person to fresh air and consult a physician. Ingestion - DO NOT INDUCE VOMITING. Call a physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: Use absorbent material to collect and contain for salvage or disposal.

Waste Disposal Method: Must be in accordance with applicable laws and regulations.

Precautions to be taken in Handling and Storing: Avoid eye contact and excessive skin contact. Wash with soap and water immediately after use.

Other Precautions: **KEEP AWAY FROM CHILDREN!**

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type): If airborne concentrations exceed recommended exposure limits, a suitable NIOSH respirator should be worn.

Ventilation: Local Exhaust & Mechanical - If current ventilation practices are not adequate in maintaining airborne concentrations below the established exposure limits, additional ventilation or exhaust systems may be required.

Protective Gloves: Required for prolonged or repeated contact

Eye Protection: Safety glasses

Other Protective Clothing or Equipment: Eyewash station and safety showers should be available

Work/Hygiene Practices: Always follow good housekeeping and personal hygiene practices.

N/D = NOT DETERMINED (NO DATA) N/E = NONE ESTABLISHED Y = YES

N/A = NOT APPLICABLE N/AV = NOT AVAILABLE N = NO