

I. PRODUCT IDENTIFICATION Product

Name: WATER ELIMINATOR

(WATER MIZER POLYMER CRYSTALSTM)

Product Type: MERCURY QUICKSILVER (Crosslinked Polyacrylamide Copolymer)

PART NUMBER(s): 67-808887Q

Product description: White free flowing powder

Company: Mercury Marine
PO Box 1939
Fond du Lac, WI 54935

II. HEALTH HAZARDS

1. HAZARD and FIRST AID STATEMENTS

Nature of Hazard:

This product has been determined to be non-hazardous in accordance with 29CFR 1910.1200: however, as with any chemical, this product should be handled with good industrial hygiene and safety practices as set forth in this material safety data sheet.

Primary routes of entry:

Ingestion, inhalation

Effects of Overexposure: (Signs and symptoms of exposure)

Not applicable (na)

Emergency and first Aid Procedures:

EYE CONTACT:

If splashed into the eyes, flush with clear water to remove product.

INGESTION:

If ingested, give emetic and seek medical advice.

2. HAZARDOUS INGREDIENTS: (Concentrations of 1 % or greater)

Ingredients:

None

CAS NUMBER: NA

Exposure limit:

None

ACGIH: None

OSHA PEL: None

MFRS Recommended: None

Carcinogenicity Determination by NIP. IARC. OSHA: None

III. PHYSICAL HAZARDS AND PROPERTIES

1. FIRE AND EXPLOSION HAZARD

Very low risk.

Flash Point- NA

LEL - NA

UEL- NA

2. EXTINGUISHING MEDIA AND SPECIAL FIRE FIGHTING PROCEDURES

Carbon dioxide, dry chemical, foam

3. REACTIVITY

Materials to Avoid:

avoid contact with strong oxidants.

Stability:

This product is stable and will not react violently with water. Hazardous polymerization will not occur.

4. PHYSICAL PROPERTIES

Density: 0.8 *g/cc*

IV. HANDLING PROCEDURES

1. PROTECTIVE EQUIPMENT

Eye Protection:

Use splash goggles or face shield when eye contact may occur.

Skin Protection:

Use gloves, if needed, to avoid prolonged or repeated skin contact.

Respiratory Protection:

Normally not needed, use dust mask if needed to prevent inhalation of airborne particles.

ventilation:

Provide adequate ventilation to minimize dust inhalation.

2. PERSONAL HYGIENE

Minimize breathing dust. Avoid prolonged or repeated breathing of dust and contact with skin. Remove contaminated clothing; launder or dry-clean before reuse. Cleanse skin thoroughly after contact, before breaks and meals and at end of work period. Product is readily removed from skin by washing thoroughly with soap and water.

3. PRECAUTIONARY STATEMENTS

Dust generated in handling of this product can be explosive if sufficient quantities are mixed in air in which case ignition sources should be avoided.

Product may create a slip hazard when mixed with water. Spills should be dealt with immediately.

4. SPILLS, LEAKS

Spills of dry product present a slip hazard when wet and should be cleaned up immediately. Do not wet spills of dry product. Sweep up dry and flush spill area with water. Spills of dilute solutions may be flushed with copious amounts of water, or alternatively, they may be absorbed with an inert material such as earth or speedi-dry and contained for disposal. The product or its solutions should not be allowed to enter waterways without treatment. Product should be disposed of in accordance with applicable federal, state and local regulations.

The information and recommendations contained herein are, to the best of ATTCs' knowledge and belief, accurate and reliable as of the date issued. ATIC does not warrant or guarantee their accuracy or reliability, and ATTC shall not be liable for any loss or damage arising out of their use thereof.

The information and recommendations are offered for the users' consideration and examination, and it is the users' responsibility to satisfy itself that they are suitable and complete for its particular use.